أرشيف الذاكرة

الرقم	الحجم	اسم الملف	الوظيفة
٠	٢ ك.ب	tables.sql	الجداول
١	٢	conf.php	التعاريف
٢	١	f_db.php	قاعدة البيانات
٣	٩	index.php	الرئيسية
٤	٢	get.php	تهيئة القيم
٥	٣	add.php	الإضافة
٦	١	del.php	الحذف
٧	٤	edit.php	التحرير
٨	٤	upload.php	الرفع
٩	٥	html.php	التصدير
١٠	١٢	f_edit.php	وظائف للتحرير
١١	٢٣	f_search.php	وظائف للبحث
١٢	٨	f_zip.php	وظائف للضغط
١٣	٥	sign.php	التسجيل

tables.sql **(0)**

```
CREATE TABLE IF NOT EXISTS `posts` (
  `id` int(16) NOT NULL AUTO_INCREMENT,
  `day` int(2) NOT NULL,
  `month` int(2) NOT NULL,
  `year` int(4) NOT NULL,
  `auth` varchar(256) COLLATE utf8_unicode_ci NOT NULL,
  `code` varchar(256) COLLATE utf8_unicode_ci NOT NULL,
  `src` varchar(256) COLLATE utf8_unicode_ci NOT NULL DEFAULT '0',
  `link` varchar(256) COLLATE utf8_unicode_ci NOT NULL,
  `cats` varchar(256) COLLATE utf8_unicode_ci NOT NULL,
  `title` varchar(256) COLLATE utf8_unicode_ci NOT NULL,
  `body` longtext COLLATE utf8_unicode_ci NOT NULL,
  `active` tinyint(1) NOT NULL DEFAULT '0',
  `date_added` datetime NOT NULL,
  PRIMARY KEY (`id`)
) ENGINE=MyISAM  DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci AUTO_INCREMENT=4080 ;


CREATE TABLE IF NOT EXISTS `users` (
  `id` int(6) NOT NULL AUTO_INCREMENT,
  `name` varchar(16) COLLATE utf8_unicode_ci NOT NULL,
  `last_login` date NOT NULL,
  `active` tinyint(1) NOT NULL,
  `pass` varchar(32) COLLATE utf8_unicode_ci NOT NULL,
  `email` varchar(22) COLLATE utf8_unicode_ci NOT NULL,
  `start` date NOT NULL,
  PRIMARY KEY (`id`)
) ENGINE=MyISAM  DEFAULT CHARSET=utf8 COLLATE=utf8_unicode_ci AUTO_INCREMENT=1 ;
```

conf.php **(1)**

```
<?php
define("DB_HOST",'localhost', true);
define("DB_USER",'root', true);
define("DB_PASS",'', true);
define("DB_NAME",'news_', true);
define("ADMIN_ID",'1', true);
define("MAIN_TITLE",'أرشيف الذاكرة', true);
define("DATE",'التاريخ', true);
define("AUTHOR",'المؤلف', true);
define("TITLE",    'العنوان', true);
define("CATS",'التصنيفات', true);
define("CODE",'الرمز', true);
define("BODY",'النص', true);
define("LINK",'الرابط', true);
define("SOURCE",'المصدر', true);
define("END", '[أرشيف الذاكرة ١٤٣٢]', true);
define("DONE_BY",'<span style="color:#d0981f;">| أرشيف الذاكرة</span>', true);
define("IMG", '<img src="news_g_.GIF" />', true);
define("IMG2",'<img src="news_g.GIF" />', true);
define("IMG3",'<img src="news__.GIF" />', true);
define("IMG4",'<img src="thaa.bmp" />', true);
define("ROWS_PER_PAGE",'25', true);
?>
```


f_db.php **(2)**

```
<?php
function dbConnect($db='')
{
$dbhost = DB_HOST;
$dbuser = DB_USER;
$dbpass = DB_PASS;
$dbcnx = @mysql_connect($dbhost, $dbuser, $dbpass) or die('The site database appears to be down.');
if($db=='')
    {
     if(defined('DB_NAME'))
         {
          $db=DB_NAME;
         }
      else
         {
          die('No database was provided.');
         }
    }
     @mysql_select_db($db,$dbcnx)or die('The site database is unavailable.');
     mysql_query("set character_set_server='utf8'");
     mysql_query("SET NAMES 'utf8'");
return $dbcnx;
}
?>
```

index.php **(3)**

```
<?php
session_start();
include_once('conf.php');
include_once('f_db.php');
include_once('f_zip.php');
include_once('f_edit.php');
include_once('f_search.php');


dbConnect();
$sess_id = @$_SESSION['u_id'];
$u_id     = 0;
```

```
$in  = 0;
$all_num = 0;
$_date_ = DATE;
$_author_ = AUTHOR;
$_title_ = TITLE;
$_source_ = SOURCE;
$_link_ = LINK;
$_cats_ = CATS;
$_body_ = BODY;
$_end_   = "";
$_img_   = IMG3."  <b>أرشيف الذاكرة  </b> /  ".adate("_j _M _Y",date("l F d, Y"))." .";
if(isset($sess_id))
{
$u_id = $sess_id;
$sql = mysql_query("UPDATE users SET last_login=NOW() WHERE id='$u_id'");
}
if(isset($_GET['pp']))  $pp = $_GET['pp'];  else$pp = "25";
if(isset($_GET['o']))     $o = $_GET['o']; else   $o = false;
if(isset($_GET['q']))     $q = $_GET['q']; else   $q = "";
if(isset($_GET['b']))     $b = $_GET['b']; else   $b = "0";
if(isset($_GET['in']))  $in = $_GET['in';  else$in = "100000";
if(isset($_GET['id']))  $id = $_GET['id];  else$id = "";
if(isset($_GET['d']))     $d = $_GET['d']; else   $d = "";
if(isset($_GET['m']))     $m = $_GET['m']; else   $m = "";
if(isset($_GET['y']))     $y = $_GET['y']; else   $y = "";
if(isset($_GET['page']))$page= $_GET['page'];else$page = "1";
if($q=="last")$q2 = "آخر الإضافات";else$q2 = $q;
$MAIN_TITLE = MAIN_TITLE." | ".$q2;
$query = "";
$get = "id=$id&q=$q&in=$in&d=$d&m=$m&y=$y&o=$o";
$offset = ($page - 1) * $pp;
dbConnect();
$query = get_query($id,$q,$d,$m,$y,$in,$o);
if(@$_GET['exp']=="txt")
{
if($q=='last') $numberd = 1; else$numberd = 0;
header("location:".exp_txt_for_query($query,$numberd));
}
elseif(@$_GET['exp']=="htm")
{
if($q=='last') $numberd = 1; else$numberd = 0;
header("location:".exp_htm_for_query($query." LIMIT $offset,$pp",$numberd));
}
elseif(@$_GET['del']==1 and $u_id==ADMIN_ID)
{
if(@$_GET['yes']==1)
    {
     while($row = mysql_fetch_array($result))
         {
          mysql_query("DELETE FROM posts WHERE id=$row[id]");
         }
     header("location:?$get&page=$page&pp=$pp");
    }
 else
     die('<meta http-equiv="content-type" content="text/html; charset=UTF-8"/>أنت على وشك أن تحذف '.$num_pp.' نتيجة :
<br><br><br><br><br><br><a style="color:red" href="?'.$get.'&del=1&page='.$page.'&pp='.$pp.'&yes=1"><b> تأكيد
الحذف</b></a>');
}
//die($query);
$art = "<table border=0 cellpadding=2 cellspacing=2 width=100%>";
$art.= "<tr>";
$all_num= mysql_num_rows(mysql_query($query));
$query.= " LIMIT $offset,$pp";
$result = mysql_query($query);
$num_pp = mysql_num_rows($result);
$art.= "<td colspan=3><font size=4px>النتائج العائدة : </font>[".($offset+1)."->".($offset+$num_pp)."/ ".$all_num."]";
if(mysql_num_rows($result)>0)
{
$art.= " <~ تصدير ( <a href='?$get&exp=txt&page=$page&pp=$pp'>txt</a>  ،<a
href='?$get&exp=htm&page=$page&pp=$pp&o=$o'>htm</a> ) : ";
$art.= "<a href='img.php?$get&i=1&page=$page&pp=$pp&b=$b'>صور</a> : ";
$art.= "<a href='html.php?$get&i=1&page=$page&pp=$pp&b=$b'>هتمل</a> : ";
$art.= "<a style='color:red' href='?$get&del=1&page=$page&pp=$pp'><b>حذف</b></a><br><br>";
}
$art.= "</td></tr><tr><td>";
$art.= results($result,$pp,$q,$b,$in,$id,$u_id);
$art.= "</td></tr><tr><td colspan=3>";
if($id=="" and $all_num<>0)
{
$art.= "<br><b>عدد النتائج في كل صفحة </b>: ";
$artt = " <a href='?$get&pp=10'>10</a>";
$artt.= " <a href='?$get&pp=50'>50</a>";
$artt.= " <a href='?$get&pp=100'>100</a>";
$artt.= " <a href='?$get&pp=250'>250</a>";
$artt.= " <a href='?$get&pp=500'>500</a>";
$artt = str_replace("<a href='?$get&pp=".$pp."'>".$pp."</a>",$pp,$artt);
$art.= $artt;
$get.= "&pp=".$pp;
}
for($i=1;$i<(($all_num/$pp)+1) and $all_num<>0 and $id=='';$i++)
{
if($i==1) $art.= "<br><br><font size=4px>الصفحات : </font>";
if($i==$page)$art.= " ".$i;
 else          $art.= " <a href='?$get&page=$i'>".$i."</a>";
}
$art.= "</td></tr></table>";
if(!isset($_GET['y']))$alsana = "السنة";
else               $alsana = $_GET['y'];
if($b=="1")    $bo_checked = "";
else      $bo_checked = "CHECKED";
if($o=="0")    $order_checked = "";
else      $order_checked = "CHECKED";
if($in[0]=="1")$title_checked = "CHECKED";else$title_checked = "";
if($in[1]=="1")$author_checked = "CHECKED";else$author_checked = "";
if($in[2]=="1")$src_checked = "CHECKED"; else$src_checked = "";
if($in[3]=="1")$link_checked = "CHECKED";else$link_checked = "";
if($in[4]=="1")$cats_checked = "CHECKED";else$cats_checked = "";
if($in[5]=="1")$body_checked = "CHECKED";else$body_checked = "";
if(@$_GET['d']==0) $days = "<option SELECTED id=0>اليوم</option>";
else               $days = "<option id=0>اليوم</option>";
for($i=1;$i<=30;$i++){
if(@$_GET['d']==$i)$days.= "<option SELECTED id=$i>$i</option>";
 else              $days.= "<option id=$i>$i</option>";
}
if(@$_GET['m']==0) $months = "<option SELECTED id=0>الشهر</option>";
else               $months = "<option id=0>الشهر</option>";
for($i=1;$i<=12;$i++){
$month_name = get_month_name($i);
if(@$_GET['m']==$i)$months.= "<option SELECTED name=$i>$month_name</option>";
 else              $months.= "<option name=$i>$month_name</option>";
}
$add_form = "<p><form action='add.php' method=post><b>إضافة</b>
<br><br><textarea name='body' class=Times cols=42 rows=15 >"
.DATE.":
".TITLE.":
".AUTHOR.":
".SOURCE.":
".CODE.":
".LINK.":
".CATS.":
".BODY."</textarea>
</p><input name='save' value='أرسل' ";
$admin_links = "";
if($u_id==0)
{
$add_form.= " DISABLED ";
$admin_links = "<a href='sign.php'>تسجيل الدخول</a> | ";
}
else
{
$admin_links = "<a href='sign.php?out=1'>تسجيل الخروج</a> | ";
}
$add_form.= " type='submit' /></form>
<div class=itar></div>";

$import_form = "";
$import_form.= "<form method='POST' action='upload.php' enctype='multipart/form-data'>";
$import_form.= "استيراد ملف (zip.)<br><br><input name='zip' type='file' /> ";
$import_form.= "<input";
if($u_id<>ADMIN_ID)
```

```
{
     $import_form.= " DISABLED ";
}
$import_form.= " type='submit' value='استورد' /></form>";

if(isset($_GET['q']) and $_GET['q']=='last')
$q = "";
elseif(!isset($_GET['q']))
$q = "";
else
$q = $_GET['q'];

$ppp = "";
if(isset($_GET['pp']))
$ppp = "pp=".$_GET['pp'];

print <<<eot
<html>
<head>
<meta http-equiv="content-type" content="text/html; charset=UTF-8" />
<title>$MAIN_TITLE</title>
</head>
<style>
.glink
{
background-color:eeeeee;
}

.green
{
color:#00cc00;
text-decoration:underline;
}
.Times
{
color:#232323;
font-family:Times;
font-weight:bold;
line-height:200%
font-size:16px;
text-decoration: none;
}
.highlight
{
font-size:13px;
color:#66cc66;
text-decoration:none;
}
.itar
{
border-bottom: 1px dotted #cccccc;
}
</style>
<body topmargin=15 leftmargin=0 rightmargin=0 bottommargin=20 dir=rtl bgcolor=eeeeee>

<table dir=rtl align=center border=0 cellpadding=0 cellspacing=0 height=10% width=970 >
 <tr>
      <td>
          <table dir=rtl align=center bgcolor=eeeeee border=0 cellpadding=5 cellspacing=0 height=10% width=970 >
               <tr><td><td align=left valign=top colspan=3>$admin_links <a href='index.php?q=last'>آخر الإضافات</a></td></tr>
               <tr height=90>
                    <td  valign=bottom colspan=1 >
                    </td>
                    <td align=right colspan=2 >
                         <form action="get.php?$ppp" method=POST>
                              <input $bo_checked name=titles_only type=checkbox > إظهار العناوين فقط
                                     
                              <input $order_checked name=order type=checkbox > ترتيب تصاعدي

                               <br>
                              <select name=day>
                                   $days
                              </select>
                              <select name=month>
                                   $months
                              </select>
                              <input name=year size=4 value=$alsana>
                              <input name=query size=40 value='$q'>
                              <input type='submit' value=' بحث ' />
                              <input name=title $title_checked type=checkbox>
                              $_title_
                              <input name=author $author_checked type=checkbox>
                              $_author_
                              <input name=source $src_checked type=checkbox>
                              $_source_
                              <input name=link $link_checked type=checkbox>
                              $_link_
                              <input name=cats $cats_checked type=checkbox>
                              $_cats_
                              <input name=body $body_checked type=checkbox>
                              $_body_
                         </form>
                    </td>
               </tr>
          </table>
     </td>
</tr>
<tr bgcolor=dddddd height=8><td colspan=3></td></tr>
 <tr>
      <td>
          <table dir=rtl align=center bgcolor=ffffff border=0 cellpadding=5 cellspacing=3 height=85% width=970 >

               <tr>
                    <td valign=top colspan=2>
                         $art
                    </td>
                    <td valign=top align=left colspan=1>
                         $add_form<br>$import_form
                    </td>
               </tr>
               <tr><td colspan=3><div class=itar></td></tr>
               <tr><td>  $_img_</td><td colspan=2 align=left></div>   $_end_  <br><br></td></tr>

          </table>
     </td>
</tr>
</table>
</body>
</html>
eot;
?>
```

get.php *(4)*

```
<?php
include_once('f_edit.php');

if(isset($_POST['query']))
{
if($_POST['query']=="")      $take = "q=";
 else                             $take = "q=".$_POST['query'];
if(isset($_POST['link']))    $link   = "1";
 else                             $link   = "0";
if(isset($_POST['source'])) $source = "1";
 else                             $source = "0";
if(isset($_POST['cats']))    $cats   = "1";
 else                             $cats   = "0";
if(isset($_POST['body']))    $body   = "1";
 else                             $body   = "0";
if(isset($_POST['author'])) $author = "1";
 else                             $author = "0";
if(isset($_POST['title']))   $title  = "1";
 else                             $title  = "0";
$in = $title.$author.$source.$link.$cats.$body;
if($in=="000000") $in = "100000";
$take.= "&in=".$in;
//die("-".$in."-");
if($_POST['day']<>0)         $take.= "&d=".$_POST['day'];
```

```
$month = get_month_number($_POST['month']);
if($month<>0)$take.= "&m=".$month;
if($_POST['year']<>'السنة' and $_POST['year']<>'')       $take.= "&y=".$_POST['year'];
if(isset($_POST['titles_only']))$take.= "&b=0";
 else                                $take.= "&b=1";
if(isset($_POST['order']))       $take.= "&o=1";
 else                                $take.= "&o=0";
if(isset($_GET['pp']))           $take.= "&pp=".$_GET['pp'];
header("location:index.php?".$take);
}
else
{
die("!?");
}
?>
```

add.php *(5)*

```
<?php
include_once("conf.php");
include_once("f_db.php");
if(isset($_POST['save']))
{
$source = "";
$link = "";
$title = "";
$author = "";
$cats = "";
$code = "";
$body = "";
$lines = explode("\n",$_POST['body']);
foreach ($lines as $line_num => $str)
    {
     $sourc_= explode(SOURCE.":",$str);
     $link_= explode(LINK.":",$str);
     $author_= explode(AUTHOR.":",$str);
     $title_= explode(TITLE.":",$str);
     $code_= explode(CODE.":",$str);
     $cats_= explode(CATS.":",$str);
     $date_= explode(DATE.":",$str);
     if($str<>$sourc_[0])
         {     $source = $sourc_[1];  }
     elseif($str<>$link_[0])
         {     $link = $link_[1];     }
     elseif($str<>$title_[0])
         {     $title = $title_[1];       }
     elseif($str<>$author_[0])
         {     $author = $author_[1]; }
     elseif($str<>$cats_[0])
         {     $cats = $cats_[1];     }
     elseif($str<>$code_[0])
         {     $code = $code_[1];     }
     elseif($str<>$date_[0])
         {
          $date = explode("-",$date_[1]);
           $day = $date[0];
          $month = $date[1];
          $year = $date[2];
          if($day>30 or $month>12 or $year>1500)
               die('<meta http-equiv="content-type" content="text/html; charset=UTF-8" />.تأكد من التاريخ');
         }
     elseif($body=='')
         {     $body.= $str;          }
      else
         {     $body.= "\n".$str;     }
    }
$title = mysql_real_escape_string($title);
$cats = str_replace(" ",".",$cats);
$body = mysql_real_escape_string($body);
/*$body = str_replace("","",$body);
$body = str_replace("","",$body);
$body = str_replace("","",$body);
$body = str_replace("","",$body);
$body = str_replace("","",$body);
$body = str_replace("","",$body);
$body = str_replace("_","",$body);
$body = str_replace("","",$body);*/
dbConnect();
$sql = mysql_query("INSERT INTO posts SET body='$body',
                                                    day='$day',
                                                    month='$month',
                                                    year='$year',
                                                    title='$title',
                                                    auth='$author',
                                                    link='$link',
                                                    code='$code',
                                                    src='$source',
                                                    cats='$cats',
                                                    date_added=NOW()");
if(!$sql)
    {     die(mysql_error());        }
header("location:index.php?b=1&id=".mysql_insert_id());
}
?>
```

del.php *(6)*

```
<?php
include_once('conf.php');
include_once("f_db.php");

define("MAIN_ART","0",true);
if(isset($_GET['id']))
{
$id = $_GET['id'];
if($id<>MAIN_ART)
    {
     if(isset($_POST['delete']))
         {
          dbConnect();
          $query = "DELETE FROM posts WHERE id='$id'";
          $q = mysql_query($query);
          if(!$q)
              {
               die(mysql_error());
              }
          header("location:index.php");
         }
    }
}
print <<< eot
<meta http-equiv="content-type" content="text/html; charset=UTF-8" />
<form action='del.php?id=$id' method='POST'>
<input type=submit name='delete' value='تأكيد الحذف' >
</form>
eot;
?>
```

edit.php *(7)*

```
<?php
session_start();
include_once("conf.php");
include_once("f_db.php");
dbConnect();
$u_id = 0;
if(isset($_SESSION['u_id']))
{
$u_id = $_SESSION['u_id'];
$sql = mysql_query("UPDATE users SET last_login=NOW() WHERE id='$u_id'");
}
if(isset($_GET['id']))
{
$id = $_GET['id'];
```

```
}
else
{
die("خطأ في الرابط ... ");
}
$new_body = "";
if(isset($_POST['save']))
{
$lines = explode("\n",$_POST['new_body']);
foreach ($lines as $line_num => $str)
    {
     $sourc_= explode(SOURCE.":",$str);
     $link_= explode(LINK.":",$str);
     $author_= explode(AUTHOR.":",$str);
     $code_= explode(CODE.":",$str);
     $title_= explode(TITLE.":",$str);
     $cats_= explode(CATS.":",$str);
     $date_= explode(DATE.":",$str);
     if($str<>$sourc_[0])
         {          $source = $sourc_[1];       }
     elseif($str<>$link_[0])
         {          $link = $link_[1];          }
     elseif($str<>$author_[0])
         {          $author = $author_[1];      }
     elseif($str<>$title_[0])
         {          $title = $title_[1];        }
     elseif($str<>$cats_[0])
         {          $cats = $cats_[1];          }
     elseif($str<>$code_[0])
         {          $code = $code_[1];          }
     elseif($str<>$date_[0])
         {
          $date = explode("-",$date_[1]);
          $day = $date[0];
          $month = $date[1];
          $year = $date[2];
          if($day>30 or $month>12 or $year>1500)
               die('<meta http-equiv="content-type" content="text/html; charset=UTF-8" />تأكد من التاريخ');
         }
     elseif($new_body=='')
         {          $new_body.= $str;           }
      else
         {          $new_body.= "\n".$str;      }
    }
     $title    = mysql_real_escape_string($title);
     $cats     = str_replace(" ",",",$cats);
     $new_body = mysql_real_escape_string($new_body);
     $sql = mysql_query("UPDATE posts SET body='$new_body',
                                                  auth='$author',
                                                  title='$title',
                                                  day='$day',
                                                  month='$month',
                                                  year='$year',
                                                  link='$link',
                                                  code='$code',
                                                  src='$source',
                                                  cats='$cats'
                                                  WHERE id=$id");
     if(!$sql)
         {     die(mysql_error());        }
header("location:index.php?b=1&id=".$_GET['id']);
}
else
{
dbConnect();
$sql = mysql_query("SELECT * FROM posts WHERE id='$id'");
if(!$sql)
    {
     die(mysql_error());
    }
$row = mysql_fetch_array($sql);

$body = DATE.":".$row['day']."-".$row['month']."-".$row['year']."\n";
$body.= AUTHOR.":".$row['auth']."\n";
$body.= TITLE.":".$row['title']."\n";
$body.= SOURCE.":".$row['src']."\n";
$body.= CATS.":".$row['cats']."\n";
$body.= CODE.":".$row['code']."\n";
$body.= LINK.":".$row['link']."\n";
$body.= $row['body'];
$form = "<form method='POST' action='edit.php?id=$id'><b>تحرير خبر</b><br><br>";
$form.= "<textarea name='new_body' cols=70% rows=18 class='Times'>$body</textarea><br/><br/>";

if($u_id==ADMIN_ID)
    {
     $form.= "<input type='submit' name='save' value='احفظ' />";
    }
$form.= "</form>";
}
print <<< eot
<html>
<head>
     <title>تحرير خبر</title>
     <link title="new" rel="stylesheet" href="css/main.css" type="text/css">
     <meta http-equiv="content-type" content="text/html; charset=UTF-8" />
</head>
<style>
.Times
    {
     color:#232323;
     font-weight:bold;
     font-family:Times;
     font-size:16px;
     text-decoration: none;
    }
</style>
<body dir="rtl" topmargin=0 ><br/>
     <table border=0 align='center'>
          <tr>
               <td>
                   $form
               </td>
          </tr>
     </table>
</body>
</html>
eot;
?>
```

upload.php *(8)*

```
<?php
include_once("conf.php");
include_once("f_db.php");

if(isset($_FILES['zip']))
{
$upload_dir = "";
$filename = $_FILES['zip']['name']; //the filename
if(move_uploaded_file($_FILES['zip']['tmp_name'],$filename))
     echo "Uploaded ". $filename . " - ". $_FILES['zip']['size'] . " bytes<br />";
 else
     die("<font color='red'>Error : Unable to upload file !</font><br/>");
$zip_dir = basename("uploads", ".zip"); //get filename without extension fpr directory creation
$zip = zip_open($filename);
if($zip)
    {
     while ($zip_entry = zip_read($zip))
         {
          $error = 0;
          $dat = 0;
          $body = "";
          echo "<p>";
          if (zip_entry_open($zip, $zip_entry))
              {
               $contents = zip_entry_read($zip_entry,59999999);//134217728
               zip_entry_close($zip_entry);
```

```
            $lines = explode("\n",$contents);
            foreach ($lines as $line_num => $str)
                {
                 $sourc_= explode(SOURCE.":",$str);
                 $link_= explode(LINK.":",$str);
                 $auth_= explode(AUTHOR.":",$str);
                 $title_= explode(TITLE.":",$str);
                 $cats_= explode(CATS.":",$str);
                 $date_= explode(DATE.":",$str);
                 if($str<>$sourc_[0])
                     {
                      $source = $sourc_[1];
                     }
                 elseif($str<>$link_[0])
                     {
                      $link = $link_[1];
                     }
                 elseif($str<>$auth_[0])
                     {
                      $author = $auth_[1];
                     }
                 elseif($str<>$title_[0])
                     {
                      $title = $title_[1];
                     }
                 elseif($str<>$cats_[0])
                     {
                      $cats = $cats_[1];
                     }
                 elseif($str<>$date_[0])
                     {
                      $dat = 1;
                      $date = explode("-",$date_[1]);
                      $day = $date[0];
                      $month = $date[1];
                      $year = $date[2];
                      if($day>30 or $month>12 or $year>1433){$error = 1;}
                     }
                  else
                     {
                      $body.= $str."\n";
                     }
                }
            if($error==0 and $dat==1)
                {
                 dbConnect();
                 $body = mysql_real_escape_string($body);
                 $sql = mysql_query("INSERT INTO posts SET body='$body',
                                                           day='$day',
                                                           month='$month',
                                                           year='$year',
                                                           auth='$author',
                                                           title='$title',
                                                           link='$link',
                                                           src='$source',
                                                           cats='$cats',
                                                           date_added=NOW()");
                 if(!$sql)
                     {
                      die(mysql_error());
                     }
                  else
                     {
                      echo "<br>file ".zip_entry_name($zip_entry)." --> <b>imported.</b> -
".zip_entry_filesize($zip_entry)." bytes";
                     }
                }
             else
                {
                 echo "<br>file ".zip_entry_name($zip_entry)." --> <font color=red><b>not imported!</b></font>";
                }
            }
          else
             {
              $bytes = "";
```

```
            }
          }
      echo "<br><br><a href='index.php'>عودة</a>";
     }
echo "</p>";
zip_close($zip);
}
else
{
header("location:index.php");
}
?>
```

html.php *(9)*

```
<?php
session_start();

include_once('conf.php');
include_once('f_db.php');
include_once('f_zip.php');
include_once('f_edit.php');
include_once('f_search.php');

dbConnect();
$sess_id = @$_SESSION['u_id'];
$u_id     = 0;
$in   = 0;
$all_num = 0;
$title    = "";
$_date_ = DATE;
$_author_ = AUTHOR;
$_title_ = TITLE;
$_source_ = SOURCE;
$_link_ = LINK;
$_cats_ = CATS;
$_body_ = BODY;

$show_all_body = false;
if(isset($sess_id))
{
$u_id = $sess_id;
$sql = mysql_query("UPDATE users SET last_login=NOW() WHERE id='$u_id'");
}

if(isset($_GET['pp']))  $pp = $_GET['pp';  else$pp = "25";
if(isset($_GET['o']))      $o = $_GET['o']; else   $o = false;
if(isset($_GET['q']))      $q = $_GET['q']; else   $q = "";
if(isset($_GET['b']))      $b = $_GET['b']; else   $b = "0";
if(isset($_GET['in']))  $in = $_GET['in';  else$in = "100000";
if(isset($_GET['id']))  $id = $_GET['id';  else$id = "";
if(isset($_GET['d']))      $d = $_GET['d']; else   $d = "";
if(isset($_GET['m']))      $m = $_GET['m']; else   $m = "";
if(isset($_GET['y']))      $y = $_GET['y']; else   $y = "";
if(isset($_GET['page']))$page= $_GET['page';else$page = "1";
$query = "";
$get = "id=$id&q=$q&in=$in&d=$d&m=$m&y=$y";
$offset = ($page - 1) * $pp;
dbConnect();
$query = get_query($id,$q,$d,$m,$y,$in,$o);
$all_num= mysql_num_rows(mysql_query($query));
$query.= " LIMIT $offset,$pp";
$result = mysql_query($query);
$num_pp = mysql_num_rows($result);
if(isset($_GET['q']) and $_GET['q']=='last')
$q = "";
elseif(!isset($_GET['q']))
$q = "";
else
$q = $_GET['q'];
$ppp = "";
if(isset($_GET['pp']))
$ppp = "pp=".$_GET['pp'];
```

```
if($_GET['id']=="")
{
if(@$_GET['q']=="")
     $q = "الجميع";
elseif($_GET['q']=="last")
     $q = "آخر الإضافات";
 else
     $q = $_GET['q'];
$top = "<br><b><span style='color:#2244ff;font-size:42px'>".$q."</span> ";
if($q<>"الجميع" and $q<>"آخر الإضافات")
    {
     $top.= "<span style='font-size:22px'>";
     if($in[0]==1) @$top.= " <span style='color:red' title='ع<'عنوان</span> ";
      else              @$top.= "<span style='color:#dddddd' title='ع<'عنوان</span> ";
     if($in[1]==1) @$top.= "<span style='color:red' title='م<'مؤلف</span> ";
      else              @$top.= "<span style='color:#dddddd' title='م<'مؤلف</span> ";
     if($in[2]==1) @$top.= "<span style='color:red' title='م<'مصدر</span> ";
      else              @$top.= "<span style='color:#dddddd' title='م<'مصدر</span> ";
     if($in[3]==1) @$top.= "<span style='color:red' title='ر<'رابط</span> ";
      else              @$top.= "<span style='color:#dddddd' title='ر<'رابط</span> ";
     if($in[4]==1) @$top.= "<span style='color:red' title='ت<'تصنيف</span> ";
      else              @$top.= "<span style='color:#dddddd' title='ت<'تصنيف</span> ";
     if($in[5]==1) @$top.= "<span style='color:red' title='ن<'نص</span> ";
      else              @$top.= "<span style='color:#dddddd' title='ن<'نص</span> ";
     $top.= "</span>";
    }
@$top.= "";
if(isset($_GET['y']))
     $y = $_GET['y'];
 else
     $y = "؟";

if(isset($_GET['d']))
    {
     $d = $_GET['d']." ";
     $m = get_month_name($m)." ";
    }
 else
    {
     $d = '';
     if($m=='؟')
         {
          $m = '';
          if($y=="؟")
               $y = "";
         }
      else
          $y = " ".$y;
    }
@$top.= " <span style='color:#543642'><i>".$d.$m.$y."</i></span> ";
if($num_pp<@$_GET['pp'])
     $results = $num_pp;
 else
     $results = @$_GET['pp'];
@$top.= " [".($offset+1)."<i>-&#x9b;</i>".($offset+$results)."/ ".$all_num."]";
$top.= "</b>";
$title = $q." ".$d.$m.$y;
}
$art = results_for_html($result,$pp,$num_pp,$q,$b,$in,$id,$u_id,$title);
$pop = @$top."<br><br><br><br><br><br><br><br>".$art;
print <<<eot
$pop
eot;
?>
```

f_edit.php *(10)*

```
<?php
function title_prepair($title)
{
$title = str_replace("[*]","&#149;",$title);
$title = str_replace("[=[","<s>",$title);
$title = str_replace("]=]","</s>",$title);
$title = str_replace("[شفرة","<div class='code'>",$title);
$title = str_replace("]شفرة","</div>",$title);
$title = str_replace("\t","     ",$title);
$title = str_replace("<ص<","<FONT style='BACKGROUND-COLOR: #fffa69'>",$title);
$title = str_replace(">>>","</FONT>",$title);
$title = str_replace("<ح<","<FONT style='BACKGROUND-COLOR: #f09898'>",$title);
$title = str_replace(">>>","</FONT> ",$title);
$title = str_replace("<ز<","<FONT style='BACKGROUND-COLOR: #9eacfd'>",$title);
$title = str_replace(">>>","</FONT>",$title);
$title = str_replace("<غ<","<FONT style='BACKGROUND-COLOR: #87ff77'>",$title);
$title = str_replace(">>>","</FONT>",$title);
$title = str_replace("<ب<","<FONT style='BACKGROUND-COLOR: #ffc675'>",$title);
$title = str_replace(">>>","</FONT>",$title);
$title = str_replace("[س[","<sub>",$title);
$title = str_replace("]س]","</sub>",$title);
$title = str_replace("[ص[","<sup>",$title);
$title = str_replace("]ص]","</sup>",$title);
$title = str_replace("|صو|",'<img src="',$title);
$title = str_replace("|رة|",'" />',$title);
$title = str_replace("[[",'<span><b>',$title);
$title = str_replace("[ز[",'<span style="color:blue"><b>',$title);
$title = str_replace("[ح[",'<span style="color:red"><b>',$title);
$title = str_replace("[خ[",'<span style="color:green"><b>',$title);
$title = str_replace("]]",'</b></span>',$title);
$title = str_replace("{{",'<span><u><b>',$title);
$title = str_replace("{ز{",'<span style="color:blue"><u><b>',$title);
$title = str_replace("{ح{",'<span style="color:red"><u><b>',$title);
$title = str_replace("{خ{",'<span style="color:green"><u><b>',$title);
$title = str_replace("}}",'</b></u></span>',$title);

return $title;
}
function body_prepair($body,$string="")
{
$lines = explode("\n",$body);
$body = "";
foreach($lines as $line_num => $line)
    {
     if($string=="")
         {
          if(bin2hex($line)<>'0d')
               $body.= $line."|سطر|";
         }
      else
         {
          $i = 0;
          $words = explode(" ",$string);
          foreach($words as $word)
              {
               if(@stristr($line,$word) and $i==0)
                   {
                    $body.= $line."|سطر|";
                    $i++;
                   }
              }
         }
    }
$body = str_replace("[قيم[","<div style='color:#444444;font-size:15px;padding-left:45px;padding-right:20px;'>",$body);
$body = str_replace("]]]","</div>",$body);
$body = str_replace("[قيس[","<div style='color:#444444;font-size:15px;padding-left:20px;padding-right:45px;'>",$body);
$body = str_replace("]]]","</div>",$body);
$body = str_replace("^"," ",$body);
$body = str_replace("|_|","^",$body);
$body = str_replace("[*]","&#149;",$body);
$body = str_replace("[=[","<s>",$body);
$body = str_replace("]=]","</s>",$body);
$body = str_replace("[شفرة","<div class='code'>",$body);
$body = str_replace("]شفرة","</div>",$body);
$body = str_replace("[جد_[","<table style='font-size:12px;line-height:150%;color:#444444;' border=1>",$body);
$body = str_replace("[جذو[","<table style='font-size:12px;line-height:120%;color:#444444;' align=center>",$body);
$body = str_replace("[جدك[","<table style='font-size:17px;line-height:150%;color:#444444;'>",$body);
$body = str_replace("[جد[","<table style='font-weight:bold;'>",$body);
$body = str_replace("]جد]","</table>",$body);
```

```
$body = str_replace("[صف","<tr><td style='vertical-align:top'>",$body);
$body = str_replace("[صفين","<tr><td align=right style='vertical-align:top'>",$body);
$body = str_replace("[صفار","<tr><td align=left style='vertical-align:top'>",$body);
$body = str_replace("|عم|","</td><td style='text-align:justify;vertical-align:top'>",$body);
$body = str_replace("|عمين|","</td><td  align=right style='vertical-align:top'>",$body);
$body = str_replace("|عمار|","</td><td align=left style='vertical-align:top'>",$body);
$body = str_replace("[مصدر","<div class='source'>",$body);
$body = str_replace("]مصدر","</div>",$body);
$body = str_replace("\t","     ",$body);
$body = str_replace("<ص<","<FONT style='BACKGROUND-COLOR: #fffa69'>",$body);
$body = str_replace(">>>","</FONT>",$body);
$body = str_replace("<ح<","<FONT style='BACKGROUND-COLOR: #f09898'>",$body);
$body = str_replace(">>>","</FONT>",$body);
$body = str_replace("<ز<","<FONT style='BACKGROUND-COLOR:#9fc3f9'>",$body);
$body = str_replace(">>>","</FONT>",$body);
$body = str_replace("<غ<","<FONT style='BACKGROUND-COLOR: #87ff77'>",$body);
$body = str_replace(">>>","</FONT>",$body);
$body = str_replace("<ب<","<FONT style='BACKGROUND-COLOR: #ffc675'>",$body);
$body = str_replace(">>>","</FONT>",$body);
$body = str_replace("[س","<sub>",$body);
$body = str_replace("]س","</sub>",$body);
$body = str_replace("[ش","<sup>",$body);
$body = str_replace("]ش","</sup>",$body);
$body = str_replace("[شمال","<div dir='ltr'>",$body);
$body = str_replace("]شمال","</div>",$body);
$body = str_replace("[وسط","<p align=center>",$body);
$body = str_replace("]وسط","</p>",$body);
$body = str_replace("|ر|",'<a class=blink href="',$body);
$body = str_replace("||",'" name="',$body);
$body = str_replace("|ب|",'">',$body);
$body = str_replace("|ط|",'</a>',$body);
$link = $body;
$body = str_replace("|صو|",'<img src="thumb.php?w=650&h=750&thumb=',$body);
$body = str_replace("|ارة|",'" />',$body);
$body = str_replace("|ه|",'<span class="green" title="',$body);
$body = str_replace("|م|",'">',$body);
$body = str_replace("|ظ|",'</span>',$body);
$body = str_replace("[[",'<span><b>',$body);
$body = str_replace("[ز[",'<span style="color:blue"><b>',$body);
$body = str_replace("[ح[",'<span style="color:red"><b>',$body);
$body = str_replace("[غ[",'<span style="color:green"><b>',$body);
$body = str_replace("]]",'</b></span>',$body);
$body = str_replace("{{",'<span><u><b>',$body);
$body = str_replace("{ز{",'<span style="color:blue"><u><b>',$body);
$body = str_replace("{ح{",'<span style="color:red"><u><b>',$body);
$body = str_replace("{غ{",'<span style="color:green"><u><b>',$body);
$body = str_replace("}}",'</b></u></span>',$body);
$size= 35;
$size2= 26;
$size3= 19;
if($string<>"") $body = strip_tags($body);
$body = str_replace("|سطر|","<br><span style='line-height:82%'> </span><br>",$body);
$body = substr($body,0,-50);
$r_n_t = body_refs_and_notes($body);
$text = $r_n_t[0];
$fnotes = $r_n_t[1];
$body = "<span style='line-height:200%'>".$r_n_t[0]."</span>".$r_n_t[1];
$words = explode(" ",$string);
foreach($words as $word)
     $body = "".str_replace($word,"<FONT style='BACKGROUND-COLOR: #fffa69'>".$word."</font>",$body);
return $body;
}
function body_refs_and_notes($text)
{
$fnotes = "";
$temp = explode("]*]",$text);
if(isset($temp[1]))
    {
     $fnotes.= "<table class='event' border=0>";
     $fnotes.= "<tr><td colspan=3><br><br><u><i>الهوامش</i></u></td></tr>";
    }
$text_ = "";
foreach($temp as $k => $text_note)
    {
     $t_n = explode("[*[",$text_note);
     $text_.= "<b>".$t_n[0]."</b>";
     if(isset($t_n[1]))
         {
          $fnotes.= "<tr><td width=22 valign=top align=left>".($k+1)."</td>";
          $fnotes.= "<td width=10 valign=top></td>";
          $fnotes.= "<td>".$t_n[1]."</td></tr>";
          $text_.= "<b style='color:red' title='".$t_n[1]."'><sup Style='font-size:10px'>".($k+1)."</sup></b>";
         }
    }
if(isset($temp[1]))
    {
     $fnotes.= "</table>";
    }
$array[0] = $text_;
$array[1] = $fnotes;
return $array;
}
function get_month_name($month_)
{
switch($month_)
    {
     case 0: $month = "";              break;
     case 1: $month = "محرم";          break;
     case 2: $month = "صفر";           break;
     case 3: $month = "ربيع الأول";    break;
     case 4: $month = "ربيع الثاني"; break;
     case 5: $month = "جمادى الأولى"; break;
     case 6: $month = "جمادى الثاني"; break;
     case 7: $month = "رجب";           break;
     case 8: $month = "شعبان";         break;
     case 9: $month = "رمضان";         break;
     case 10: $month = "شوال";         break;
     case 11: $month = "ذو القعدة";    break;
     case 12: $month = "ذو الحجة";     break;
    }
return $month;
}

function get_month_number($month_)
{
switch($month_)
    {
     case "":           $month = 0; break;
     case "محرم":       $month = 1; break;
     case "صفر":        $month = 2; break;
     case "ربيع الأول":  $month = 3; break;
     case "ربيع الثاني": $month = 4; break;
     case "جمادى الأولى": $month = 5;  break;
     case "جمادى الثاني": $month = 6; break;
     case "رجب":        $month = 7; break;
     case "شعبان":      $month = 8; break;
     case "رمضان":      $month = 9; break;
     case "شوال":       $month = 10; break;
     case "ذو القعدة":  $month = 11; break;
     case "ذو الحجة":   $month = 12; break;
    }
return $month;
}

function adate($format='_j _M _Yهـ',$timestamp=0)
{
$gmonths=array("يناير","فبراير","مارس","أبريل","مايو","يونيو","يوليو","أغسطس","سبتمبر","أكتوبر","نوفمبر","ديسمبر");
$smonths=array("كانون الثاني","شباط","آذار","نيسان","أيار","حزيران","تموز","آب","أيلول","تشرين الأول","تشرين الثاني","كانون الأول");
$days=array("الأحد","الإثنين","الثلاثاء","الأربعاء","الخميس","الجمعة","السبت");
$hmonths=array("محرم","صفر","شهر ربيع الأول","شهر ربيع الثاني","جمادى الأولى","جمادى الآخرة","رجب","شعبان","رمضان","شوال","ذو القعدة","ذو الحجة");
if ($timestamp==0)
    {
     $timestamp=time();
    }
list($w, $mn,$am)=explode(' ', date("w n a",$timestamp));
$j=intval($timestamp/86400);
$j=$j+492150; //492534;
$n = intval($j / 10631);
```

```
$j=$j-($n*10631);
$y = intval($j / 354.36667);
$hy = ($n*30)+$y+1;
$j=$j-round($y*354.36667);
$z=$j;
$m = intval($j/29.5);
$hm = $m+1;
$j=$j-round($m*29.5);
$d = $j;
$hd = intval($d);

If ($hd == 0) {
$hd=($hm%2==1)? (29): (30);
$hm = $hm - 1;
    }

If ($hm == 0 )
    {
     $hm = 12;
     $hy = $hy - 1;
     if (round(($hy%30)*0.36667)>round((($hy-1)%30)*0.36667))
         {
          $hd=30;
          $z=355;
         }
      else
         {
          $hd=29;
          $z=354;
         }
    }
$L=(round(($hy%30)*0.36667)>round((($hy-1)%30)*0.36667))?(1):(0);
$str='';
for ($n=0;$n<=strlen($format);$n++)
    {
     $c=substr($format,$n,1);
     switch ($c)
         {
          case "l":
          case "D":
          $str.=$days[$w];
          break;
          case "F":
          $str.=$smonths[($mn-1)];
          break;
          case "M":
          $str.=$gmonths[($mn-1)];
          break;
          case "a":
          $str.=($am=='am')? ('م'):('ص');
          break;
          case "A":
          $str.=($am=='AM')? ('مساءً'):('صباحًا');
          break;
          case "_":
          $n=$n+1;
          switch (substr($format,$n,1))
              {
               case "j":
               $str.=$hd;
               break;
               case "d":
               $str.=str_pad($hd,2,"0",STR_PAD_LEFT);
               break;
               case "z":
               $str.=$z-1;
               break;
               case "F":case "M":
               $str.=$hmonths[($hm-1)];
               break;
               case "t":
               $t=($hm%2==1)? (30): (29);
               If ($hm == 12 && $L==1) $t =30;
               $str.=$t;
               break;
               case "m":
               $str.=str_pad($hm,2,"0",STR_PAD_LEFT);
               break;
               case "n":
               $str.=$hm;
               break;
               case "y":
               $str.=substr($hy,2);
               break;
               case "Y":
               $str.=$hy;
               break;
               case "L":
               $str.=$L;
               break;
              }
          break;
          case '\\':
          $str.=substr($format,$n,2);
          $n++;
          break;
          default:
          $str.=$c;
          break;
         }
    }
return date($str,$timestamp);
}
?>
```

f_search.php *(11)*

```
<?php
function get_query($id='',$q='',$d='',$m='',$y='',$in='100000',$order=true)
{
$q = str_replace("'","",$q);
if($id<>"")
     $query = "SELECT * FROM posts WHERE id='$id'";
elseif($q==""){
     if($y<>""){
          if($m<>""){
               if($d<>"")
                    $query = "SELECT * FROM posts WHERE year='$y' AND month='$m' AND day='$d'";
               else
                    $query = "SELECT * FROM posts WHERE year='$y' AND month='$m'";
              }
           else
               $query = "SELECT * FROM posts WHERE year='$y'";
         }
      else
          $query = "SELECT * FROM posts ";
    }
elseif($q=='last'){
     $query = "SELECT * FROM posts";
    }
else{
     $get = "q=$q&in=$in";
     $in = str_pad($in,6,"0",STR_PAD_LEFT);
     $query = "SELECT * FROM posts WHERE ";
     $i = 0;
     $add_and = 0;
     $words = explode(" ",$q);
     foreach($words as $one_word)
         {
          $i++;
          if($i>1)
              {
               if($in[5]<>"1")
                    $query.= " OR (";
               else
                    $query.= " OR (";
              }
           else
```

```
            {
             $query.= "(";
            }
         if($in[0]=="1")    $query.= "title LIKE '%$one_word%'";
         if($in[1]=="1"){
              if($in>"11111")    $query.= " OR ";
              $query.= "auth LIKE '%$one_word%'";
            }
         if($in[2]=="1"){
              if($in>"1111")$query.= " OR ";
              $query.= "src LIKE '%$one_word%'";
            }
         if($in[3]=="1"){
              if($in>"111") $query.= " OR ";
              $query.= "link LIKE '%$one_word%'";
            }
         if($in[4]=="1"){
              if($in>"11")  $query.= " OR ";
              $query.= "cats LIKE '%$one_word%'";
            }
         if($in[5]=="1"){
              if($in>"1")   $query.= " OR ";
              $query.= "body LIKE '%$one_word%'";
            }
         $query.= ")";
        }
     if($d<>''){
          $get.= "&d=$d";
          $query.= " AND day='$d'";
        }
     if($m<>''){
          $get.= "&m=$m";
          $query.= " AND month='$m'";
        }
     if($y<>''){
          $get.= "&y=$y";
          $query.= " AND year='$y'";
        }
    }
if($q=='last')
     $query.= " ORDER BY date_added DESC, title DESC";
 else
    {
     if($order)
          $query.= " ORDER BY year, month, day, title";
      else
          $query.= " ORDER BY year DESC, month DESC, day DESC, title DESC";
    }

return $query;
}


function exp_txt_for_query($query,$numberd)
{
dbConnect();
$result = mysql_query($query);

$j = 0;
$temp_dir = "news";
mkdir($temp_dir);
$ziper = new zipfile();
$stack = array();
$old = "";
$i = 0;
//        $all_res = mysql_query($query." ORDER BY year DESC, month DESC, day DESC");
while($row = mysql_fetch_array($result))
    {
     $new = str_pad($row['year'],4,'0',STR_PAD_LEFT)."-".str_pad($row['month'],2,'0',STR_PAD_LEFT)."-
".str_pad($row['day'],2,'0',STR_PAD_LEFT);
     if($numberd==1)
          $new = str_pad($j,3,'0',STR_PAD_LEFT)."_".$new;
     $neu = $new;
     if($old==$new){
          $i++;
          $neu.= "(".$i.")";
         }
     else{
          $i = 0;
          $old = $new;
         }
     $f = fopen($temp_dir."/".$neu.".txt", "w");
     $body = DATE.":".$row['day']."-".$row['month']."-".$row['year'].hex2bin('0d0a');
     $body.= AUTHOR.":".$row['auth']."\n";
     $body.= TITLE.":".$row['title']."\n";
     $body.= SOURCE.":".$row['src']."\n";
     $body.= CATS.":".$row['cats']."\n";
     $body.= CODE.":".$row['code']."\n";
     $body.= LINK.":".$row['link']."\n";

     $body.= $row['body']."\n";
     fwrite($f,$body);
     fclose($f);
     array_push($stack,$temp_dir."/".$neu.".txt");
     $j++;
    }
$ziper->addFiles($stack);
$ziper->output("news.zip");
rrmdir($temp_dir);
return "news.zip";
}


function exp_htm_for_query($query,$numberd)
{
dbConnect();
$result = mysql_query($query);
//$counts= mysql_num_rows($results);

$j = 0;
$k = 0;
$_end_ = IMG3;
$temp_dir = "news";
mkdir($temp_dir);
$ziper = new zipfile();
$stack = array();
$old = "";
$i = 0;
//////////////////////START INDEX
$index_file_name = "index.htm";
$index_file   = fopen($temp_dir."/".$index_file_name, "w");
$date              = "";
$index_content     = "";
//////////////////////END INDEX
//////////////////////START DAY
 $day          = "";
$day_content= "";
$day_counts    = 0;
$day_index    = "";
$day_file_name= "";
$day_file_name= "";
//////////////////////END DAY
//////////////////////START MONTH
 $day          = "";
$month        = "";
$month_content= "";
$month_counts= 0;
//////////////////////END MONTH
//////////////////////START YEAR
 $day          = "";
$month        = "";
$year         = "";
$year_content= "";
$year_counts= 0;
//////////////////////END YEAR
//////////////////////START YEARS
$years_file_name = "years.htm";
$total_years_content = "";
//////////////////////END YEARS
while($row = mysql_fetch_array($result))
```

```
    {
     $new =
str_pad($row['year'],4,'0',STR_PAD_LEFT).str_pad($row['month'],2,'0',STR_PAD_LEFT).str_pad($row['day'],2,'0',STR_PAD_LEFT);
     if($numberd==1)
          $new = str_pad($j,3,'0',STR_PAD_LEFT)."_".$new;
     $neu = $new;
     if(bin2hex($row['code'])=='0d' or $row['code']=="")
        {
         if($old==$new)
             {
              $i++;
              $neu.= "_".$i;
             }
          else
             {
              $i = 0;
              $old = $new;
             }
        }
      else
        {     $neu.= "_".substr($row['code'],0,-1);     }
     $f = fopen($temp_dir."/".$neu.".htm", "w");
     $day = $row['day'];
     if($day=='0')$day = '';
     $art = "<br><br><br><br><br><span style='color:red'><b>".$day." ".get_month_name($row['month'])."
".$row['year']."</b></span><br>";
     $art.= "<table  border=0 ><tr><td>";
     $art.= "<b><u>".substr($row['src'],0,-1)." ";
     if(bin2hex($row['src'])<>'0d' and $row['src']<>"")
          $art.= " &rsaquo; ";
     $art.= "".substr($row['auth'],0,-1).":";
     if(bin2hex($row['auth'])<>'0d' and $row['auth']<>"")
               $art.= " : ";
     $art.= "$row[title]</u></b></td></tr></table>";
     $art.= "<table border=0><tr><td width=5%></td><td>";
     $body = "".$row['body'];
     $art.= body_prepair($body);
     $link = $row['link'];
     if(!is_null($link))
          $art.= "<br><a style='font-size:13px;color:#66cc66;text-decoration:none;' href='$link'>$link</a>";
     $art = get_htm_templt($row['title'],"",$art);
     fwrite($f,$art);
     fclose($f);
     array_push($stack,$temp_dir."/".$neu.".htm");
     $j++;
     $k++;
     ////////////////////START INDEX
     $last_date = $date;
     $day = $row['day'];
     if($day=='0')$day = '';
     $date = $day." ".get_month_name($row['month'])." ".$row['year'];
     if($last_date<>$date)
          $index_content.= "\n<span style='color:red'><b>".$date."</b></span><br>\n";
     $index_content.= "\n<a href='".$neu.".htm'>".substr($row['src'],0,-1);
     if(bin2hex($row['src'])<>'0d' and $row['src']<>"")
          $index_content.= " &rsaquo; ";
     $index_content.= substr($row['auth'],0,-1);
     if(bin2hex($row['auth'])<>'0d' and $row['auth']<>"")
          $index_content.= ": ";
     $index_content.= substr($row['title'],0,-1)."</a><br><br>\n";
     ///////////////////END INDEX
     ////////////////////START DAY
     $last_d = @$d;
     $d = $row['day'];
     if($row['day']=='0')$d = '';
     $d.= " ".get_month_name($row['month'])." ".$row['year'];
     if($last_d<>$d and $j<>1)
         {
          $day_index  = "\n<span
style='color:red'><b>".$last_d."</b></span><br>\n".$day_index."<br><br><br><br><br><br><br><br>";
          $day_content = "\n<span style='color:red'><b>".$last_d."</b></span><br>\n".$day_content;
          $day_file_name.= ".htm";
          $day_file = fopen($temp_dir."/".$day_file_name, "w");
          fwrite($day_file,get_htm_templt($last_d,"<a class=blink href='".$month_file_name.".htm'><</a> يوم ".$last_d." <~
(".$day_counts.")",$day_index.$day_content));
          fclose($day_file);
          array_push($stack,$temp_dir."/".$day_file_name);
          $day_index  = "";
          $day_content = "";
          $last_day_counts= $day_counts;
          $day_counts         = 0;
         }
     $day_index.= "<u><b><a class=blink href='#".($day_counts+1)."' name='i".($day_counts+1)."'>".substr($row['src'],0,-1);

     if(bin2hex($row['src'])<>'0d' and $row['src']<>"")
          $day_index.= " &rsaquo; ";
     $day_index.= substr($row['auth'],0,-1);
     if(bin2hex($row['auth'])<>'0d' and $row['auth']<>"")
          $day_index.= ": ";
     $day_index.= substr($row['title'],0,-1)."</a></b></u><br>";

     $day_content.= "<u><b><span style='font-size:26px'><a class=blink href='#i".($day_counts+1)."'
name='".($day_counts+1)."'>".substr($row['src'],0,-1);
     if(bin2hex($row['src'])<>'0d' and $row['src']<>"")
          $day_content.= " &rsaquo; ";
     $day_content.= substr($row['auth'],0,-1);
     if(bin2hex($row['auth'])<>'0d' and $row['auth']<>"")
          $day_content.= ": ";
     $day_content.= substr($row['title'],0,-1)."</a></span></b></u>";
     $day_content.= "<br>\n<table><tr><td width=5%></td><td>".body_prepair($row['body'])."\n";
     $link = $row['link'];
     if(bin2hex($link)<>'0d' and $link<>"")
          $day_content.= "<br><a style='font-size:13px;color:#66cc66;text-decoration:none;' href='$link'>$link</a>";
     $day_content.= "</td></tr></table><br><br>";
     @$last_day_file_name = $day_file_name;
     $day_file_name = str_pad($row['year'],4,'0',STR_PAD_LEFT)."-".str_pad($row['month'],2,'0',STR_PAD_LEFT)."-
".str_pad($row['day'],2,'0',STR_PAD_LEFT);
     $day_counts++;
     ////////////////////END DAY
     ////////////////////START MONTH
     $last_day = $day;
     $day = $row['day'];
     if($day=='0')$day = '';
     $day.= " ".get_month_name($row['month'])." ".$row['year'];
     $last_month = $month;
     $month    = get_month_name($row['month'])." ".$row['year'];
     if($last_d<>$d and $j<>1)
         {
          $total_month_content.= "<br>\n<span style='color:red'><b><a class=rlink href='".$last_day_file_name."'>".$last_d."
(".$last_day_counts.")</a></b></span><br>\n";
          $total_month_content.= $month_content;
          $month_content = "";
         }
     if($last_month<>$month and $j<>1)
         {
          $last_month_file_name = $month_file_name;
          $month_file_name.= ".htm";
          $month_file = fopen($temp_dir."/".$month_file_name, "w");

          fwrite($month_file,get_htm_templt($last_month,"<a class=blink href='".$year_file_name.".htm'><</a> شهر
".$last_month." <~ (".$month_counts.")",$total_month_content));
          fclose($month_file);
          array_push($stack,$temp_dir."/".$month_file_name);
          $total_month_content = "";
          $month_content = "";
          $month_counts       = 0;
          $j = 1;
         }
     $month_content.= "<b>".substr($row['src'],0,-1);
     if(bin2hex($row['src'])<>'0d' and $row['src']<>"")
          $month_content.= " &rsaquo; ";
     $month_content.= substr($row['auth'],0,-1);
     if(bin2hex($row['auth'])<>'0d' and $row['auth']<>"")
          $month_content.= ": ";
     $month_content.= substr($row['title'],0,-1)."</b>";
     $month_content.= "<br>\n";
     $month_file_name = str_pad($row['year'],4,'0',STR_PAD_LEFT)."-".str_pad($row['month'],2,'0',STR_PAD_LEFT);
     $month_counts++;
     ////////////////////END MONTH
     ////////////////////START YEAR
```

```
    $last_year = $year;
    $year     = $row['year'];
    if($last_month<>$month)
        {
         $total_year_content.= "<br>\n<span style='color:red'><b><a class=rlink
href='".@$last_month_file_name.".htm'>".$last_month."</a></b></span>";
         $total_year_content.= "<br>\n".$year_content;
         $year_content = "";
        }
    if($last_year<>$year)
        {
         $years_content.= "<br>\n<span style='color:red'><b><a class=rlink href='".$year.".htm'>".$year."</a></b></span>";
         $years_content.= "<br>\n".$year_content;
         if($k<>1)
             {
              $last_year_file_name = $year_file_name;
              $year_file_name.= ".htm";
              $year_file = fopen($temp_dir."/".$year_file_name, "w");
              fwrite($year_file,get_htm_templt($last_year,"<a class=blink href='".$years_file_name."'><</a> سنة
".$last_year." <~ (".$year_counts.")",$total_year_content));
              fclose($year_file);
              array_push($stack,$temp_dir."/".$year_file_name);
              $total_year_content = "";
              $year_content = "";
              $year_counts        = 0;
              $k = 1;
             }
        }
    $year_content.= "<b>".substr($row['src'],0,-1);
    if(bin2hex($row['src'])<>'0d' and $row['src']<>"")
        $year_content.= " &rsaquo; ";
    $year_content.= substr($row['auth'],0,-1);
    if(bin2hex($row['auth'])<>'0d' and $row['auth']<>"")
        $year_content.= ": ";
    $year_content.= substr($row['title'],0,-1)."</b>";
    $year_content.= "<br>\n";
    $year_file_name = str_pad($row['year'],4,'0',STR_PAD_LEFT);
    $year_counts++;
    ////////////////////END YEAR
    ////////////////////////START YEARS
    $last_year = $year;
    $year     = $row['year'];
    $years_content.= "<b>".substr($row['src'],0,-1);
    if(bin2hex($row['src'])<>'0d' and $row['src']<>"")
        $years_content.= " &rsaquo; ";
    $years_content.= substr($row['auth'],0,-1);
    if(bin2hex($row['auth'])<>'0d' and $row['auth']<>"")
        $years_content.= ": ";
    $years_content.= substr($row['title'],0,-1)."</b>";
    $years_content.= "<br>\n";
    $years_counts++;
    ////////////////////END YEARS
   }
////////////////////////START INDEX
fwrite($index_file,get_htm_templt("الفهرس","",$index_content));
fclose($index_file);
array_push($stack,$temp_dir."/".$index_file_name);
////////////////////////END INDEX
    $years_file = fopen($temp_dir."/".$years_file_name, "w");
fwrite($years_file,get_htm_templt("سنوي"."سنوي",$years_content));
fclose($years_file);
array_push($stack,$temp_dir."/".$years_file_name);
////////////////////////////
$year_file_name.= ".htm";
$year_file = fopen($temp_dir."/".$year_file_name, "w");
$total_year_content.= "<br>\n<span style='color:red'><b><a class=rlink href='".$month_file_name;
//$total_month_content.= "_".$day_counts;
$total_year_content.= ".htm'>".$month."</a></b></span><br>\n".$year_content;
fwrite($year_file,get_htm_templt($year,"<a class=blink href='".$years_file_name."'><</a> سنة ".$year." <~
(".$year_counts.")",$total_year_content));
fclose($year_file);
array_push($stack,$temp_dir."/".$year_file_name);
////////////////////////////
$month_file_name.= ".htm";
$month_file = fopen($temp_dir."/".$month_file_name, "w");
$total_month_content.= "<br>\n<span style='color:red'><b><a class=rlink href='".$day_file_name;
//$total_month_content.= "_".$day_counts;
$total_month_content.= ".htm'>".$d." (".$day_counts.")</a></b></span><br>\n".$month_content;
fwrite($month_file,get_htm_templt($month,"<a class=blink href='".$year_file_name."'><</a> شهر ".$month." <~
(".$month_counts.")",$total_month_content));
fclose($month_file);
array_push($stack,$temp_dir."/".$month_file_name);
////////////////////////////
$day_index  = "\n<span style='color:red'><b>".$d."</b></span><br>\n".$day_index."<br><br><br><br><br><br><br><br><br>";
$day_content = "\n<span style='color:red'><b>".$d."</b></span><br>\n".$day_content;
$day_file_name.= ".htm";
$day_file = fopen($temp_dir."/".$day_file_name, "w");
fwrite($day_file,get_htm_templt($last_d,"<a class=blink href='".$month_file_name."'><</a> يوم ".$d." <~
(".$day_counts.")",$day_index.$day_content));
fclose($day_file);
array_push($stack,$temp_dir."/".$day_file_name);
////////////////////////////
$ziper->addFiles($stack);
$ziper->output("news.zip");
rrmdir($temp_dir);
return "news.zip";
}

function get_htm_templt($page_title,$top,$text)
{
$now = "<b class=green>تم تصديره في يوم ".adate("_j _M _Y",date("l F d, Y"))." ".DONE_BY."</b>";
$html = '<html>
<head>
    <meta http-equiv="content-type" content="text/html; charset=UTF-8" />
    <title>'.$page_title.'</title>
    <style>
    .rlink
        {
         color:red;
        }
    .blink
        {
         color:black;
         text-decoration:none;
        }
    .blink:hover
        {
         color:green;
        }
    </style>
</head>
<body topmargin=0 leftmargin=0 rightmargin=5 bottommargin=20 dir=rtl>
    <table dir=rtl align=right bgcolor=#ffffff border=0 cellpadding=7 cellspacing=0 width=970 height=100%>
         <tr>
         <td style="vertical-align:top">
         <span style="color:#2244ff;font-size:42px">'.$top.'</span>
         </td>
         </tr>
         <tr>
             <td valign="top" colspan=3>
                  <br>

                  <br>
                  <br>
                 <table  border=0 width=100%>
                     <tbody>
                          <tr>
                              <td valign=top><br><br><br><br><br>
                                   '.$text.'
                              </td>
                              <td valign=top width=40% align=left>
                              </td>
                          </tr>
                     </tbody>
                 </table>
             </td>
         </tr>
         <tr lang="en">
             <td  style="vertical-align:bottom" colspan=3 align="right">
                  <br>
```

```
                    <br>
                    <br>
                    <br>
                   '.IMG3.' '.$now.'

               </td>
           </tr>
     </table>
</body>
</html>';

return $html;
}

function results($result,$pp_,$q,$b,$in,$id,$u_id)
{
$art = "<table border=0>";
$last_year = "";
$last_month = "";
$last_day = "";

while($row = mysql_fetch_array($result))
    {
     $month_ = $row['month'];
     $month = get_month_name($month_);
     if($row['year']==0)
         {
          $year = "..";
          $month = "";
           $day = "";
         }
      else
         {
          $year = $row['year'];
          if($row['day']==0)$day = "";
           else              $day = $row['day'];
         }

     $art.= "<tr><td align=center width=40 valign=top>";
     $zero = 1;
     if($last_year<>$year or $last_month<>$month or $last_day<>$day)
         {
          $art.= "<a href='?y=".$year."&b=0'>".$year."</a></td>";
          $art.= "<td valign=top><a href='?y=".$year."&m=".$month_."&d=".$day."&b=0'>".$day."</a> ";
          $art.= " <a href='?y=".$year."&m=".$month_."&b=0'>".$month."</a></td></tr><tr><td></td><td>";
         }
     else{$art.= "</td><td>";}
     $last_year = $year;
     $last_month = $month;
     $last_day = $day;

     $src = $row['src'];
     if(bin2hex($src)<>'0d' and $src<>"")
         {
          if(@$in[2]=="1")
              {
               $_q = explode(" ",$q);
               foreach($_q as $one_q)
                    $src = str_replace($one_q,"<font style='BACKGROUND-COLOR: #fffa69'>$one_q</font>",$src);

              }
          $art.= " <u><b><a href='?q=$row[src]&in=001000&b=0&pp=".$pp_."'>$src</a></b></u>";
          $art.= " &rsaquo; ";
         }

     if(bin2hex($row['auth'])<>'0d' and $row['auth']<>"")
         {
          $auth = $row['auth'];
          if(@$in[1]=="1")
              {
               $_q = explode(" ",$q);
               foreach($_q as $one_q)
                    $auth = str_replace($one_q,"<font style='BACKGROUND-COLOR: #fffa69'>$one_q</font>",$auth);

              }
          $art.= " <a class=glink href='?q=$row[auth]&in=010000&b=0'>".substr($auth,0,-1)."</a>";

          $art.= " ";
         }
     $title = $row['title'];
     if(@$in[0]=="1")
         {
          $_q = explode(" ",$q);
          foreach($_q as $one_q)
              {
               $title = str_replace($one_q,"<font style='BACKGROUND-COLOR: #fffa69'>".$one_q."</font> ",$title);
              }
         }
     $art.= " <a title='{".$row['code']."}' href='?id=$row[id]'>".title_prepair($title)."</a>";
     $art.= " <- <a href='edit.php?id=$row[id]'>تحریر</a>";
     $art.= " - <a href='html.php?id=$row[id]&b=1'>متمل</a> ";
     if($u_id==ADMIN_ID)
          $art.= " - <a href='del.php?id=$row[id]' >حذف</a> ";

     if($id<>"" or $b=="1")
         {
          $body = $row['body'];

          if(bin2hex($body)=='0d' or $body=="")
              $body = substr($body,0,-1);
           else
              {
               if(@$in[5]=="1")
                   $body = body_prepair($body,$q);
                else
                   $body = body_prepair($body);
               $body = "<br>".$body;
              }
          $art.= $body;
         }
     $link = $row['link'];
     $cats = $row['cats'];
     if(bin2hex($cats)<>'0d' and $cats<>"")
         {
          $cat_linked = "";

          $cats = substr($cats,0,-1);
          $cats = explode(".",$cats);
          foreach($cats as $cat)
              {
               $cat_ = $cat;
               if(@$in[4]=="1")
                   {
                    $_q = explode(" ",$q);
                    foreach($_q as $one_q)
                        {
                         if($one_q==$cat)
                             {
                              $cat_ = str_replace($one_q,"<font style='BACKGROUND-COLOR: #fffa69'>$one_q</font>",$cat);

                             }
                        }
                   }
               $cat_linked.= "<b ><i><a href='?q=$cat&in=000010&b=0".$pp_."' style='line-height:100%;color:#ba7c2d;font-
family:Tahoma;font-size:12px;text-decoration:none;'>$cat_</a></i></b> ";
              }
          $art.= "<br>".$cat_linked;
         }

     if(bin2hex($link)<>'0d' and $link<>"")
         {
          if(@$in[3]=="1")
              $link = str_replace($q,"<font style='BACKGROUND-COLOR: #fffa69'>".$q."</font>",$link);
          $art.= "<br><b><a href='$row[link]' class='highlight' >".$link."</a></b> ";
         }
     if($b=="1" and $id=="")
          $art.= "</td></tr><tr><td></td><td><div class=itar></div>";
     $art.= "</tr></td>";
    }
$art.= "</table>";
```

```
return $art;
}



function results_for_html($result,$pp_,$num_pp,$q,$b,$in,$id,$u_id,$title='')
{
$arts = "";
$last_year = "";
$last_month = "";
$last_day = "";
$last_date= "";
 $ind     = "";
$j = 1;
//$arts  = "";



while($row = mysql_fetch_array($result))
    {
     $art = "";

     $month = get_month_name($row['month']);
     if($row['year']==0)
         {
          $year = "..";
          $month = "";
           $day = "";
         }
      else
         {
          $year = $row['year'];
          if($row['day']==0)$day = "";
           else              $day = $row['day'];
         }
     $zero = 1;
     $date = $day." ".$month." ".$year;

     if($last_date<>$date)
         {
          if($j<>1)
               $ind.= "</span></td></tr></table><br>";
          $ind.= "<span style='color:red'><b>$date</b></span><br><table border=0><tr><td width=20></td><td><span style='line-
height:200%;'>";
         }


     $art.= "<br><span style='color:red'><b>$date</b></span><br>";
     $art.= "<table border=0><tr><td bgcolor=ffffff colspan=2>";
     if(@$_GET['i']==1 and @$_GET['b']==1)
         {
          $art.= "<a class=blink href='#i".$j."' name='".$j."'>";
          $ind.= "<a class=blink href='#".$j."' name='i".$j."'>";
         }
        $t= $row['src'];
     $art.= "<u><b>".substr($row['src'],0,-1)."";
     $ind.= "<b>".substr($row['src'],0,-1)."";
     if(bin2hex($row['src'])<>'0d' and $row['src']<>"")
         {
          $t.= " &rsaquo; ";
          $art.= " &rsaquo; ";
          $ind.= " &rsaquo; ";
         }
     $t.= $row['auth'];
     $art.= "".substr($row['auth'],0,-1)."";
     $ind.= "".substr($row['auth'],0,-1)."";
     if(bin2hex($row['auth'])<>'0d' and $row['auth']<>"")
         {
          $t.= ": ";
          $art.= ": ";
          $ind.= ": ";
         }
     $t.= title_prepair($row['title']);
     $art.= "".title_prepair($row['title'])."</b></u></a></td></tr>";
     $ind.= "</b>".title_prepair($row['title'])."</a><br>";

     if($title=='')
          $title = $t;
     $art.= "<tr><td width=20></td><td>";

     $body = "".$row['body'];
     $art.= body_prepair($body);
     $link = $row['link'];
     if(bin2hex($link)<>'0d' and $link<>"")
          $art.= "<br><a style='font-size:13px;color:#66cc66;text-decoration:none;' href='$link'>$link</a>";
     $art.= "</td></tr></table>";
     $last_date = $day." ".$month." ".$year;
     $arts.= $art;
     if($j==$num_pp)
         {
          $ind.= "</span></td></tr></table>";
         }
     $j++;
    }
$page = "";
if(@$_GET['i']==1 or @$_GET['b']==0)
    {
     $page.= "".$ind."<br><br><br><br><br><br>";

    }
if(@$_GET['b']==1)
    {
     $page.= "".$arts."<br><br><br><br>";
    }
//die($title);
$page = get_htm_templt($title,"",$page);
return $page;
}
?>
```

f_zip.php (12)

```
<?php
/* $Id: zip.lib.php,v 1.1 2004/02/14 15:21:18 anoncvs_tusedb Exp $ */
// vim: expandtab sw=4 ts=4 sts=4:
/**
 * Zip file creation class.
 * Makes zip files.
 * Last Modification and Extension By :
 *  Hasin Hayder
 *  HomePage : www.hasinme.info
 *  Email : countdraculla@gmail.com
 *  IDE : PHP Designer 2005
 *
 * Originally Based on :
 *
 *  http://www.zend.com/codex.php?id=535&single=1
 *  By Eric Mueller <eric@themepark.com>
 *
 *  http://www.zend.com/codex.php?id=470&single=1
 *  by Denis125 <webmaster@atlant.ru>
 *  a patch from Peter Listiak <mlady@users.sourceforge.net> for last modified
 *  date and time of the compressed file
 * Official ZIP file format: http://www.pkware.com/appnote.txt
 * @access  public
 */
class zipfile
{
    var $datasec      = array();

    var $ctrl_dir     = array();

    var $eof_ctrl_dir = "\x50\x4b\x05\x06\x00\x00\x00\x00";

    var $old_offset   = 0;
```

```
function unix2DosTime($unixtime = 0) {
    $timearray = ($unixtime == 0) ? getdate() : getdate($unixtime);

    if ($timearray['year'] < 1980) {
    $timearray['year']    = 1980;
    $timearray['mon']     = 1;
    $timearray['mday']    = 1;
    $timearray['hours']   = 0;
    $timearray['minutes'] = 0;
    $timearray['seconds'] = 0;
    } // end if

    return (($timearray['year'] - 1980) << 25) | ($timearray['mon'] << 21) | ($timearray['mday'] << 16) |
            ($timearray['hours'] << 11) | ($timearray['minutes'] << 5) | ($timearray['seconds'] >> 1);
}

function addFile($data, $name, $time = 0)
{
    $name     = str_replace('\\', '/', $name);

    $dtime    = dechex($this->unix2DosTime($time));
    $hexdtime = '\x' . $dtime[6] . $dtime[7]
              . '\x' . $dtime[4] . $dtime[5]
              . '\x' . $dtime[2] . $dtime[3]
              . '\x' . $dtime[0] . $dtime[1];
    eval('$hexdtime = "' . $hexdtime . '";');

    $fr   = "\x50\x4b\x03\x04";
    $fr   .= "\x14\x00";            // ver needed to extract
    $fr   .= "\x00\x00";            // gen purpose bit flag
    $fr   .= "\x08\x00";            // compression method
    $fr   .= $hexdtime;             // last mod time and date

    $unc_len = strlen($data);
    $crc     = crc32($data);
    $zdata   = gzcompress($data);
    $zdata   = substr(substr($zdata, 0, strlen($zdata) - 4), 2); // fix crc bug
    $c_len   = strlen($zdata);
    $fr      .= pack('V', $crc);             // crc32
    $fr      .= pack('V', $c_len);           // compressed filesize
    $fr      .= pack('V', $unc_len);         // uncompressed filesize
    $fr      .= pack('v', strlen($name));    // length of filename
    $fr      .= pack('v', 0);                // extra field length
    $fr      .= $name;

    $fr .= $zdata;
    $fr .= pack('V', $crc);                 // crc32
    $fr .= pack('V', $c_len);               // compressed filesize
    $fr .= pack('V', $unc_len);             // uncompressed filesize

    $this -> datasec[] = $fr;

    $cdrec = "\x50\x4b\x01\x02";
    $cdrec .= "\x00\x00";                // version made by
    $cdrec .= "\x14\x00";                // version needed to extract
    $cdrec .= "\x00\x00";                // gen purpose bit flag
    $cdrec .= "\x08\x00";                // compression method
    $cdrec .= $hexdtime;                 // last mod time & date
    $cdrec .= pack('V', $crc);           // crc32
    $cdrec .= pack('V', $c_len);         // compressed filesize
    $cdrec .= pack('V', $unc_len);       // uncompressed filesize
    $cdrec .= pack('v', strlen($name) ); // length of filename
    $cdrec .= pack('v', 0 );             // extra field length
    $cdrec .= pack('v', 0 );             // file comment length
    $cdrec .= pack('v', 0 );             // disk number start
    $cdrec .= pack('v', 0 );             // internal file attributes
    $cdrec .= pack('V', 32 );            // external file attributes - 'archive' bit set

    $cdrec .= pack('V', $this -> old_offset ); // relative offset of local header
    $this -> old_offset += strlen($fr);

    $cdrec .= $name;
    $this -> ctrl_dir[] = $cdrec;
}
```

```
    function file()
    {
        $data    = implode('', $this -> datasec);
        $ctrldir = implode('', $this -> ctrl_dir);
        return
            $data .
            $ctrldir .
            $this -> eof_ctrl_dir .
            pack('v', sizeof($this -> ctrl_dir)) .  // total # of entries "on this disk"
            pack('v', sizeof($this -> ctrl_dir)) .  // total # of entries overall
            pack('V', strlen($ctrldir)) .           // size of central dir
            pack('V', strlen($data)) .              // offset to start of central dir
            "\x00\x00";                             // .zip file comment length
    } // end of the 'file()' method

    function addFiles($files /*Only Pass Array*/)
    {
        foreach($files as $file)
        {
          if (is_file($file)) //directory check
              {
               set_time_limit(4000);
               $data = implode("",file($file));
               $this->addFile($data,$file);
              }
        }
    }

    function output($file)
    {
        $fp=fopen($file,"w");
        fwrite($fp,$this->file());
        fclose($fp);
    }



} // end of the 'zipfile' class

 function rrmdir($dir)
 {
    set_time_limit(4000);
if (is_dir($dir)) {
     $objects = scandir($dir);
     foreach ($objects as $object) {
       if ($object != "." && $object != "..") {
         if (filetype($dir."/".$object) == "dir") rrmdir($dir."/".$object); else unlink($dir."/".$object);
       }
     }
     reset($objects);
     rmdir($dir);
   }
 }
?>
```

sign.php *(13)*

```
<?php
session_start();
include_once('conf.php');
include_once('f_db.php');

if(isset($_GET['out']))
{
unset($_SESSION['u_id']);
header("location:index.php");
}
$self = $_SERVER['PHP_SELF'];
$font_color = "#000000";
$msg = "";
$_img_ = IMG3;
dbConnect();
if(isset($_POST['signup']))
{
```

```
if($_POST['name']=="" or $_POST['pass']=="" or $_POST['pass2']=="")
    {   $msg = "فضلاً املأ الحقول ..";  }
 else
    {
     if($_POST['pass']<>$_POST['pass2'])
         {    $msg = "تأكد من المفتاح ..";     }
      else
         {
          dbConnect();
          $name     = $_POST['name'];
          $pass     = md5($_POST['pass']);
          $sql = mysql_query("INSERT INTO users SET name='$name',
                                                    pass='$pass',
                                                    email='',
                                                    active='0',
                                                    last_login=NOW(),
                                                    start=NOW()");

          if(!$sql)
              {     die("err1: ".mysql_error());    }
          $sql = mysql_query("INSERT INTO users SET ");
          die('<meta http-equiv="content-type" content="text/html; charset=UTF-8" /><div class="link">شكرا على <a
href="sign.php">التسجيل</a></div>');
         }
    }
}
elseif(isset($_POST['name']))
{
$name = $_POST['name'];
if(isset($_POST['pass']))
    {
     $pass = md5($_POST['pass']);
     $result = mysql_query("SELECT * FROM users WHERE name='$name'");
     if(!$result)
         die(mysql_error());
     if(mysql_num_rows($result)==1)
         {
          $row = mysql_fetch_array($result);
          if($pass==$row['pass'])
              {
               if($row['active']==1)
                   {
                    $_SESSION['u_id']=$row['id'];
                    $sql = mysql_query("UPDATE users SET last=DATE_ADD(NOW(), INTERVAL 3 HOUR) WHERE id='$_SESSION[u_id]'");
                    header("location:index.php?".$_SESSION['u_id']);
                   }
                else
                   {     $msg = "الحساب غير مفعل";       }
              }
           else
              {     $msg = "الاسم أو كلمة المرور غير صحيحة";       }
         }
      else
         {
          $msg = "الاسم أو كلمة المرور غير صحيحة";
         }
    }
 else
    {     $msg = "املأ الحقول";   }
     die($msg);
}
print <<< eot
<html>
<head>
<meta http-equiv="content-type" content="text/html; charset=UTF-8" />
<title>التسجيل</title>
</head>
<style>
.btn3
{
font-size:11px;
font-family:Tahoma;
background:#ffffff;
border: solid 1px #e1dbdb;
}
.btn4
{
font-size:11px;
font-family:Tahoma;
background:#eeeeee;
border: solid 1px #dddddd;
}
</style>
<body dir=rtl topmargin=0 bottommargin=0 >
<table width=790 cellspacing=0 align=center border=0 height=100%>
     <tr bgcolor='eeeeee'><td colspan=3></td></tr>
     <tr height=185>
          <td width=34% align=right valign=bottom>
                         $_img_
          </td>
          <td width=33% valign=top align=center>
               <form action='sign.php' method='POST' >
                    <table  class='btn3' border=0 width=250 cellpadding=3 cellspacing=0>
                         <tr>
                              <td>تسجيل دخول<br><br></td>
                         </tr>
                          <tr>
                              <td>المعرّف</td>
                              <td>المفتاح</td>
                         </tr>
                          <tr>
                              <td>              <input  class='btn3' size=12 type='text' name='name' />         </td>
                              <td>              <input  class='btn3' size=12 type='password' name='pass' />     </td>
                             <td align='left'>  <input  class='btn4' type='submit' name='signin' value='دخول' /></td>
                         </tr>
                    </table>
               </form>
          </td>
          <td  width=33%>
               <form action='$self' method='POST' >
                    <table  class='btn3' align=left border=0 cellpadding=3 cellspacing=0>
                         <tr>
                              <td><span style='color:$font_color'>تسجيل حساب جديد<br><br>المعرّف</span></td>
                         </tr>
                          <tr>
                              <td><input  class='btn3' type='text' name='name'/></td>
                         </tr>
                          <tr>
                              <td><span style='color:$font_color' >المفتاح</span></td>
                         </tr>
                          <tr>
                              <td><input  class='btn3' type='password' name='pass'  /></td>
                         </tr>
                          <tr>
                              <td><span style='color:$font_color' >المفتاح من جديد</span></td>
                         </tr>
                          <tr>
                              <td><input  class='btn3' type='password' name='pass2'  /></td>
                         </tr>
                          <tr>
                             <td align='left'>
                                  <input  class='btn4' type='submit' name='signup' value='تسجيل' />
                             </td>
                         </tr>
                          <tr>
                             <td align='left' > </td>
                         </tr>
                    </table>
               </form>
          </td>
     </tr>
     <tr bgcolor='eeeeee'><td colspan=3></td></tr>
</table>
</body>
</html>
eot
?>
```